Number   1033   244/1R.ccls.   USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; US-PGP	
1   6452582.pn.   US-PGPUB;   EPO; JPO;   DERWENT   USPAT;   US-PGPUB;   EPO; JPO;   DERWENT   USPAT;   USPAT	
- 1 6452582.pn.	
- 1 6452582.pn.   DERWENT USPAT;   USPA	
- 43 244/1R.ccls. and mount	
US-PGPUB; EPO; JPO; DERWENT USPAT; 2003/03/20   US-PGPUB; EPO; JPO; DERWENT USPAT; 2003/03/24   US-PGPUB; EPO; JPO; DERWENT USPAT; 2003/03/24   US-PGPUB; EPO; JPO; DERWENT USPAT; 2003/03/20   US-PGPUB; EPO; JPO; DERWENT USPAT; 2003/03/26   US-PGPUB; EPO; JPO; DERWENT	
EPO; JPO; DERWENT USPAT; 2003/03/20 16:02 EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; 2003/03/20 09:07 EPO; JPO; DERWENT USPAT; 2003/03/20 09:07 EPO; JPO; DERWENT USPAT; 2003/03/24 10:02 EPO; JPO; DERWENT USPAT; 2003/03/24 10:02 EPO; JPO; DERWENT USPAT; 2003/03/20 12:25 EPO; JPO; DERWENT USPAT; 2003/03/20 12:25 EPO; JPO; DERWENT USPAT; 2003/03/20 12:25 EPO; JPO; DERWENT USPAT; 2003/03/20 09:31 EPO; JPO; DERWENT USPAT; 2003/03/20 09:31 EPO; JPO; DERWENT USPAT; 2003/03/26 EPO; JP	
- 43 244/1R.ccls. and mount USPAT; 2003/03/20 16:02  - 8 244/1R.ccls. and routing USPAT; 2003/03/20 16:02  - 86 "flexible wire guide" USPAT; 2003/03/20 09:07  - 1767 "wire harness" and flexible USPAT; 2003/03/20 US-PGPUB; EPO; JPO; DERWENT USPAT; 2003/03/24 10:02  - 1496 "wiring harness" and flexible USPAT; 2003/03/20 US-PGPUB; EPO; JPO; DERWENT USPAT; 2003/03/26	
- 43 244/1R.ccls. and mount	
EPO; JPO; DERWENT USPAT; 2003/03/20 US-PGPUB; EPO; JPO; DERWENT USPAT; U	
DERWENT   USPAT;	
8 244/1R.ccls. and routing USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT;	
US-PGPUB; EPO; JPO; DERWENT USPAT; 2003/03/24 US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; 2003/03/20 US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; 2003/03/20 US-PGPUB; EPO; JPO; DERWENT USPAT; 2003/03/20 US-PGPUB; EPO; JPO; DERWENT USPAT; 2003/03/20 US-PGPUB; EPO; JPO; DERWENT USPAT; 2003/03/26	
EPO; JPO; DERWENT USPAT; 2003/03/24 10:02  1767 "wire harness" and flexible USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; USPAT; USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; USPAT; USPAT; 2003/03/26	
DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; DERWENT USPAT; DERWENT USPAT; DERWENT USPAT;	
- 86 "flexible wire guide"  1767 "wire harness" and flexible  1767 "wire harness" and flexible  1767 "wiring harness" and flexible  1767 "wiring harness" and flexible  1767 "wire harness" and flexible  1768 "wiring harness" and flexible  1769 "wiring harness" and flexible  1760 "wire harness" and flexible	
1767	
EPO; JPO; DERWENT USPAT; 2003/03/20 12:25  - 1496 "wiring harness" and flexible USPAT; 2003/03/20 DERWENT USPAT; 2003/03/20 DERWENT USPAT; 2003/03/20 US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; 2003/03/26 DERWENT USPAT; 2003/03/26	
- 1767 "wire harness" and flexible  "wiring harness" and flexible  "wire harness" and flexible) and ("S  DERWENT  USPAT;  2003/03/20  12:25  2003/03/20  09:31  EPO; JPO;  DERWENT  USPAT;  2003/03/26	
- 1767 "wire harness" and flexible USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; US	l
US-PGPUB; EPO; JPO; DERWENT USPAT; 2003/03/20 US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; 2003/03/26	
- 1496 "wiring harness" and flexible EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; 2003/03/26	
The second of th	
US-PGPUB; 09:31 EPO; JPO; DERWENT USPAT; 2003/03/26	
EPO; JPO; DERWENT USPAT; 2003/03/26	
- 84 ("wire harness" and flexible) and ("S DERWENT USPAT; 2003/03/26	
- 84 ("wire harness" and flexible) and ("S USPAT; 2003/03/26	- 1
2003/09/20	İ
I PORDOU OF "I GRANCO" I ITO DONTO I 10.04	
	ŀ
EPO; JPO; DERWENT	
- 85 ("wiring harness" and flexible) and ("S USPAT; 2003/03/20	
shaped" or "C shaped")  US-PGPUB; 09:45	
EPO; JPO;	
DERWENT	i
- 43 ("wiring harness" and flexible) and ("two USPAT; 2003/03/20	1
dimensional") US-PGPUB; 09:56	İ
EPO; JPO;	-
DERWENT	
- 45 ("wire harness" and flexible) and ("two USPAT; 2003/03/20	1
dimensional") US-PGPUB; 09:35	
EPO; JPO;	-
DERWENT   71 (("wiring harness" and flexible) and ("S USPAT;   2003/03/20	-
shaped" or "C shaped")) not (("wire US-PGPUB; 09:45	
harness" and flexible) and ("S shaped" or EPO; JPO;	
"C shaped"))	
- 38 (("wire harness" and flexible) and ("two USPAT; 2003/03/20	-
dimensional")) not (("wiring harness" and US-PGPUB; 09:56	-
flexible) and ("two dimensional")) EPO; JPO;	
DERWENT	
- 241 "flexible tube" and "wire guide" USPAT; 2003/03/20	
US-PGPUB; 12:03	
EPO; JPO;	
DERWENT   323 "equipment module" and connection USPAT; 2003/03/20	
US-PGPUB; 12:06	
EPO; JPO;	
DERWENT	
- 3 ("equipment module" and connection) and USPAT; 2003/03/20	1
"wire guide" US-PGPUB; 12:06	
EPO; JPO;	
DERWENT	
- 98 ("equipment module" and connection) and USPAT; 2003/03/20	
"flexible" US-PGPUB; 12:06	
EPO; JPO;	
DERWENT	

	653			
-	657	"wire harness" and computer	USPAT;	2003/03/20
			US-PGPUB;	15:02
	i		EPO; JPO;	
	1		DERWENT	1
-	35		USPAT;	2003/03/20
1	-	shaped" or "C shaped")	US-PGPUB;	13:53
1			EPO; JPO;	
	1		DERWENT	
-	205	108/50.02.ccls.	USPAT;	2003/03/20
			US-PGPUB;	15:06
			EPO; JPO;	1
			DERWENT	
-	252	312/223.6.ccls.	USPAT;	2003/03/20
			US-PGPUB;	15:07
			EPO; JPO;	13.07
			DERWENT	
-	2047	174/52.1.ccls.	USPAT;	2003/03/20
			US-PGPUB;	15:09
			EPO; JPO;	13.05
			DERWENT	
-	193	174/52.1.ccls. and flexible	USPAT;	2003/03/20
			US-PGPUB;	15:09
			EPO; JPO;	13.03
			DERWENT	
-	443	211/26.ccls.	USPAT;	2003/03/20
	1	333, 231, 231	US-PGPUB;	15:09
ļ				15:09
			EPO; JPO;	
_	6	244/1R.ccls. and avionic	DERWENT	2002/02/02
		2117 IN. CCIS. and avionic	USPAT;	2003/03/20
			US-PGPUB;	16:03
			EPO; JPO;	
_	70	244/1R.ccls. and instrument	DERWENT	1 0000 400 400
	1 /0	244/IR.CCIS. and Instrument	USPAT;	2003/03/20
			US-PGPUB;	16:07
			EPO; JPO;	]
l _	227	244/6 7777 777	DERWENT	
-	221	244/\$.ccls. and "instrument panel"	USPAT;	2003/03/20
			US-PGPUB;	16:11
			EPO; JPO;	
_	33	/244/0 ===================================	DERWENT	
-	32	(244/\$.ccls. and "instrument panel") and	USPAT;	2003/03/20
		wire	US-PGPUB;	16:07
	i		EPO; JPO;	
	1277		DERWENT	
-	13//	aircraft and "instrument panel"	USPAT;	2003/03/20
1			US-PGPUB;	16:14
	1		EPO; JPO;	
			DERWENT	
-	38	(aircraft and "instrument panel") and	USPAT;	2003/03/20
		"wiring harness"	US-PGPUB;	16:15
			EPO; JPO;	
			DERWENT	
_	501	module and mount and "pin connector"	USPAT;	2003/03/21
			US-PGPUB;	08:19
			EPO; JPO;	
			DERWENT	
-	18	(module and mount and "pin connector")	USPAT;	2003/03/21
		and "instrument panel"	US-PGPUB;	08:13
			EPO; JPO;	[
			DERWENT	
-	3	(module and mount and "pin connector")	USPAT;	2003/03/21
		and "dash board"	US-PGPUB;	08:17
			EPO; JPO;	
			DERWENT	- Indiana in the second
-	42	(module and mount and "pin connector")	USPAT;	2003/03/21
		and "wiring harness"	US-PGPUB;	08:19
		•	EPO; JPO;	
			DERWENT	1

-	1	"flexible wire guide" and "two	USPAT;	2003/03/24
		dimensional"	US-PGPUB;	10:03
			EPO; JPO;	
			DERWENT	
-	1147	"two dimensional movement"	USPAT;	2003/03/24
			US-PGPUB;	10:05
	į		EPO; JPO;	10.03
			DERWENT	
_	117	"two dimensional movement" and wire		2002/02/04
		two dimensional movement and wife	USPAT;	2003/03/24
			US-PGPUB;	10:06
			EPO; JPO;	
	1	Harry Alberta A. D. C. B.  DERWENT		
-	2		USPAT;	2003/03/24
		gude" or "wiring harness")	US-PGPUB;	14:00
			EPO; JPO;	
			DERWENT	
-	3	I THE THE PERSON OF THE PERSON	USPAT;	2003/03/24
		guide" or "wiring harness")	US-PGPUB;	14:02
1			EPO; JPO;	
1			DERWENT	
-	463	"wire routing" and method	USPAT;	2003/03/24
			US-PGPUB;	14:34
			EPO; JPO;	17.37
_	1523	("dash board" or "instrument panel") and	DERWENT	2002 (02 (2)
-	1323		USPAT;	2003/03/24
}		mounting and (wire or wiring)	US-PGPUB;	14:37
			EPO; JPO;	
			DERWENT	
-	467	(("dash board" or "instrument panel") and	USPAT;	2003/03/24
		mounting and (wire or wiring)) and guide	US-PGPUB;	14:46
			EPO; JPO;	
			DERWENT	
-	66	((("dash board" or "instrument panel")	USPAT;	2003/03/24
		and mounting and (wire or wiring)) and	US-PGPUB;	14:47
		guide) and "wiring harness"	EPO; JPO;	
			DERWENT	
-	89	((("dash board" or "instrument panel")	USPAT;	2003/03/24
		and mounting and (wire or wiring)) and	US-PGPUB;	14:47
		guide) and "wire harness"	EPO; JPO;	14.4/
		guide, and wife nathess		İ
	5	(Herina hamasall and 61 anible) and	DERWENT	0000 /00 /00
	5	,	USPAT;	2003/03/26
		motherboard	US-PGPUB;	10:26
			EPO; JPO;	
			DERWENT	
-	35	"wiring harness" and motherboard	USPAT;	2003/03/26
			US-PGPUB;	10:31
			EPO; JPO;	
			DERWENT	
-	7	244/\$.ccls. and motherboard	USPAT;	2003/03/26
			US-PGPUB;	10:33
			EPO; JPO;	
			DERWENT	ĺ
-	2	244/\$.ccls. and "mother board"	USPAT;	2003/03/26
	-	, ,	US-PGPUB;	10:34
			EPO; JPO;	20.03
<u> </u>	2442	244/\$ ggls and somputer	DERWENT	2002/02/26
-	2443	244/\$.ccls. and computer	USPAT;	2003/03/26
			US-PGPUB;	10:49
			EPO; JPO;	
			DERWENT	
-	7	(244/\$.ccls. and computer) and "wiring	USPAT;	2003/03/26
		harness"	US-PGPUB;	10:49
			EPO; JPO;	
ļ l			DERWENT	i